

“B”

**Recommended Conditions of Approval
and Final Agency Approval Memos**

**PLANNING COMMISSION HEARING – MAY 4, 2022
RECOMMENDED CONDITIONS OF APPROVAL**

**MEYERS WATER COMPANY USE PERMIT #P21-00091-UP
1794 MILTON ROAD, NAPA, CA 94559
APN 048-042-028**

This Permit encompasses and shall be limited to the project commonly known as Meyers Water Company, located at 1794 Milton Road, Napa, California. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and, therefore, have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

PART I

1.0 PROJECT SCOPE

This Permit encompasses and shall be limited to:

- 1.1** Approval of a Use Permit to operate a Quasi-Public/Small Water System and allow the following:
- a. Use of an existing well (issued under Permit E20-00613);
 - b. Development of a water distribution system including water pumps and filters and six (6) 5,000-gallon water tanks on the ground level within a garage totaling 1,647 sf of a new two-story mixed-use building approximately 3,260 sf;
 - c. Storage of related water system equipment and materials on the ground level of the new two-story mixed-use building;
 - d. Number of employees limited to three (3) part time employees;
 - e. Water system hours of operation - 24 hours a day, seven (7) days a week; and
 - f. Regular maintenance duties limited between 8am and 5pm as needed.

The Meyers Water Company project shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved. Any expansion of or change in use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification

process.

2.0 STATUTORY AND CODE SECTION REFERENCES

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

3.0 MONITORING COSTS

All Staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the permittee's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

PART II

4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT

Permittee shall comply with the following during operation of the project:

4.1 GROUND WATER MANAGEMENT – WELLS

This condition is implemented jointly by the Public Works and PBES Departments:

The permittee shall be required (at the permittee's expense) to record well monitoring data (specifically, static water level no less than quarterly, and the volume of water withdrawn no less than monthly). Such data will be provided to the County, if the Director of Planning, Building, and Environmental Services (PBES Director) determines that substantial evidence¹ indicates that water usage at the project is affecting, or would potentially affect, groundwater supplies or nearby wells. If data indicates the need for additional monitoring, and if the applicant is unable to secure monitoring access to neighboring wells, onsite monitoring wells may need to be established to gauge potential impacts on the groundwater resource utilized for the project. Water usage shall be minimized by use of best available control technology and best water management conservation practices.

In order to support the County’s groundwater monitoring program, well monitoring data as discussed above will be provided to the County if the Director of Public Works determines that such data could be useful in supporting the County’s groundwater monitoring program. The project well will be made available for inclusion in the groundwater monitoring network if the Director of Public Works determines that the well could be useful in supporting the program.

In the event that changed circumstances or significant new information provide substantial evidence¹ that the groundwater system referenced in this use permit would significantly affect the groundwater basin, the PBES Director shall be authorized to recommend additional reasonable conditions on the permittee, or revocation of this permit, as necessary to meet the requirements of the County Code and to protect public health, safety, and welfare.

4.2 AMPLIFIED MUSIC [RESERVED]

4.3 TRAFFIC [RESERVED]

4.4 PARKING

The location and visitor parking and truck loading zone areas shall be identified along with proposed circulation and traffic control signage (if any).

Parking shall be limited to approved parking spaces only and shall not occur along access or public roads or in other locations. In no case shall parking impede emergency vehicle access or public roads.

4.5 BUILDING DIVISION – USE OR OCCUPANCY CHANGES

Please contact the Building Division with any questions regarding the following:

In accordance with the California Building Code (CBC), no change shall be made in the use or occupancy of an existing building unless the building is made to comply with requirements of the current CBC as for a new building.

4.6 FIRE DEPARTMENT – TEMPORARY STRUCTURES [RESERVED]

4.7 NAPA COUNTY MOSQUITO ABATEMENT PROGRAM [RESERVED]

4.8 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, MECHANICAL EQUIPMENT, AND TRASH ENCLOSURE AREAS

- a. All lighting shall be permanently maintained in accordance with the lighting and building plans approved by the County.

¹ Substantial evidence is defined by case law as evidence that is of ponderable legal significance, reasonable in nature, credible and of solid value. The following constitute substantial evidence: facts, reasonable assumptions predicated on facts; and expert opinions supported by facts. Argument, speculation, unsubstantiated opinion or narrative, or clearly inaccurate or erroneous information do not constitute substantial evidence.

- b. All landscaping shall be permanently maintained in accordance with the landscaping approved by the County.
- c. All outdoor screening, storage, mechanical equipment and utility structures shall be permanently maintained in accordance with the landscaping and building plans approved by the County. No stored items shall exceed the height of the screening. Exterior equipment shall be maintained so as to not create a noise disturbance or exceed noise thresholds in the County Code.
- d. The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division prior to any change in paint color that differs from the approved building permit. Highly reflective surfaces are prohibited.
- e. Designated trash enclosure areas shall be made available and properly maintained for intended use.

4.9 NO TEMPORARY SIGNS

Temporary off-site signage, such as “A-Frame” signs are prohibited.

4.10 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - OPERATIONAL CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies’ requirements. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Environmental Health Division operational conditions as stated in their Memorandum dated November 4, 2021.
- b. Fire Department operational conditions as stated in their Inter-Office Memo dated November 9, 2021.
- c. Building Division conditions of approval as stated in their Memorandum dated November 4, 2021.
- d. Engineering Services Division operational conditions as stated in their Memorandum dated September 28, 2021.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify this permit.

4.11 OPERATIONAL MITIGATION MEASURES [RESERVED]

4.12 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT

A. Additional Monitoring Activities

Well #003 shall be monitored on a bimonthly basis from March through November for Na, Cl, TDS and EC to establish whether any changes in water quality occur due to the Very Dry year conditions (i.e., potentially less subsurface outflow from the Napa Valley Subbasin to the Napa-Sonoma Lowlands Subbasin) or if groundwater quality conditions remain stable. Commencing January 1, 2023, Well #003 shall continue to be monitored semi-annually for Cl, TDS and EC. Monitoring data shall be submitted to the Environmental Health for review.

- B. MWC water service area connections shall be limited to the approved Edgerly Island River Lot Subdivision as of the date of this permit approval. Any changes in the water distribution system or the number of service connections shall require a modification to this permit.**

4.13 PREVIOUS CONDITIONS [RESERVED]

PART III

5.0 PREREQUISITE FOR ISSUANCE OF PERMITS

5.1 PAYMENT OF FEES

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES

Permittee shall comply with the following with the submittal of a grading, demolition environmental, building and/or other applicable permit applications:

6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Environmental Health Division operational conditions as stated in their Memorandum dated November 4, 2021.
- b. Fire Department operational conditions as stated in their Inter-Office Memo dated November 9, 2021.
- c. Building Division conditions of approval as stated in their Memorandum dated November 4, 2021.
- d. Engineering Services Division operational conditions as stated in their Memorandum dated September 28, 2021.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

6.2 BUILDING DIVISION – GENERAL CONDITIONS

Please contact the Building Division with any questions regarding the following:

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the CBC or any State or local amendment adopted thereto
- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a “J” number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.
- c. All areas of newly designed and newly constructed buildings, facilities and or site improvements must comply with the CBC accessibility requirements, as well as, American with Disabilities Act requirements when applicable. When alterations or additions are made to existing buildings or facilities, an accessible path of travel to the specific area of alteration or addition shall be provided as required per the CBC.

6.3 LIGHTING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the CBC.
- b. All exterior lighting, including landscape lighting, shall be shielded and directed downward; located as low to the ground as possible; the minimum necessary for security, safety, or operations; on timers; and shall incorporate the use of motion detection sensors to the greatest extent practical. All lighting shall be shielded or placed such that it does

not shine directly on adjacent properties or impact vehicles on adjacent streets. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be utilized in parking areas as opposed to elevated high-intensity light standards.

6.4 LANDSCAPING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed final landscaping and irrigation plan, including parking details, shall be submitted with the building permit application package for the Planning Division’s review and approval prior to the issuance of any building permit associated with this permit. The plan shall be prepared pursuant to the Water Efficient Landscape Ordinance (Chapter 18.118 of the County Code) requirements in effect at the time of building permit application submittal, as applicable, and shall indicate the names and locations of all plant materials to be used along with their method of maintenance.
- b. Plant materials shall be purchased locally when practical, and, to the greatest extent possible, the plant materials shall be the same native plants found in Napa County. The Agricultural Commissioner’s office shall be notified of all impending deliveries of live plants with points of origin outside of Napa County.

6.5 COLORS

The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division in conjunction with building permit review and/or prior to painting the building. Highly reflective surfaces are prohibited.

6.6 OUTDOOR STORAGE/SCREENING/UTILITIES

- a. Details of outdoor storage areas and structures shall be included on the building and landscape plans. All outdoor storage of equipment shall be screened from the view of residences of adjacent properties by a visual barrier consisting of fencing or dense landscaping. No stored item shall exceed the height of the screening. Water and fuel tanks, and similar structures, shall be screened to the extent practical so as to not be visible from public roads and adjacent parcels.
- b. New utility lines required for this project that are visible from any designated scenic transportation route (see Community Character Element of the General Plan and the County Code) shall be placed underground or be made virtually invisible from the subject roadway.

6.7 MECHANICAL EQUIPMENT

- a. Roof mounted equipment shall be screened by a parapet wall of equal or greater height than the highest piece of roof mounted equipment or vent. Equipment may be screened by a separate roof screen that is architecturally integrated with the building if screening by a parapet wall is not feasible or is architecturally undesirable. When separate roof screens are used, roof equipment should be organized into major groups screening

a smaller number of units rather than multiple areas. The PBES Director may approve exceptions for solar equipment. All screening is subject to review and approval by the PBES Director. Any skylights shall be subject to review and approval by the PBES Director prior to the issuance of building permits.

- b. The term "equipment" includes roof mounted equipment or vents, electrical equipment, gas meter, communication antennas, irrigation valves, storage tanks, or other mechanical equipment. The manner of screening shall be as follows: Communications equipment, including microwave equipment, may remain unscreened if visually integrated with the building design through color, location, and construction; all building mounted equipment, including but not limited to louvers, pipes, overhead doors or service doors, access ladders, downspouts, conduit, and electrical/service boxes, shall be painted consistent with the color scheme of the building.
- c. Ground mounted equipment shall be screened by walls or landscaping to the satisfaction of the PBES Director.
- d. Exterior equipment shall be located, enclosed or muffled so as not to exceed noise thresholds in the County Code.

6.8 TRASH ENCLOSURES

Adequate area must be provided for collection and loading of garbage and recyclables generated by the project. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the pedestrian and vehicle access needed for the collection site. The garbage and recycling enclosure shall meet the minimum enclosure requirements established by staff and the franchised hauler, which shall be included in the building permit submittal.

6.9 ADDRESSING

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

6.10 HISTORIC RESOURCES [RESERVED]

6.11 DEMOLITION ACTIVITIES [RESERVED]

6.12 VIEWSHED – EXECUTION OF USE RESTRICTION [RESERVED]

6.13 PERMIT PREREQUISITE MITIGATION MEASURES [RESERVED]

6.14 PARCEL CHANGE REQUIREMENTS [RESERVED]

6.15 FINAL MAPS [RESERVED]

6.16 OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING PROCESS [RESERVED]

7.0 PROJECT CONSTRUCTION

Permittee shall comply with the following during project construction:

7.1 SITE IMPROVEMENT

Please contact Engineering Services with any questions regarding the following:

a. GRADING & SPOILS

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. DUST CONTROL

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. AIR QUALITY

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt tracked onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5)

minutes (as required State Regulations). Clear signage shall be provided for construction workers at all access points.

8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ http://www.arb.ca.gov/portable/perp/perpfaq_04-16-15.pdf or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

d. **STORM WATER CONTROL**

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the State Regional Water Quality Control Board.

7.2 ARCHEOLOGICAL FINDING

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 CONSTRUCTION NOISE

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities only shall occur daily between the hours of 8:00 AM to 5:00 PM.

7.4 CONSTRUCTION MITIGATION MEASURES [RESERVED]

7.5 OTHER CONSTRUCTION CONDITIONS APPLICABLE TO THE PROJECT PROPOSAL [RESERVED]

8.0 TEMPORARY CERTIFICATE OF OCCUPANCY – PREREQUISITES

A Temporary Certificate of Occupancy (TCO) may be granted pursuant to the County Code to allow specific limited use of the project (placement of Wildlife Cages and/or Pens within designated areas while making improvements to the residence) prior to completion of all project improvements. Permittee shall comply with the following before a TCO is granted:

8.1 TEMPORARY OCCUPANCY

All life and safety conditions shall be addressed prior to issuance of a TCO by the County Building Official. TCOs shall not be used for the occupancy of the Meyers Water Company building and shall not exceed the maximum time allowed by the County Code which is 180 days. In special circumstances, Departments and/or Agencies with jurisdiction over the project are authorized as part of the TCO process to require a security deposit or other financial instrument to guarantee completion of unfinished improvements.

9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence:

9.1 FINAL OCCUPANCY

All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.

9.2 SIGNS

Detailed plans, including elevations, materials, color, and lighting for any project identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if the signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. Any off-site signs allowed shall be in conformance with the County Code.

9.3 GATE/ENTRY STRUCTURES

Any gate installed at the project entrance shall be reviewed by the PBES Department and the Fire Department to assure that the design allows large vehicles, such as motorhomes, to turn around if the gate is closed without backing into the public roadway, and that fire suppression access is available at all times. If the gate is part of an entry structure an additional permit shall be required pursuant to the County Code and in accordance with the Napa County Roads and Street Standards. A separate entry structure permit is not required if the entry structure is consistent with entry structure plans submitted, reviewed, and approved as part of this permit approval.

- 9.4 LANDSCAPING**
Landscaping shall be installed in accordance with the approved landscape plan.
- 9.5 ROAD OR TRAFFIC IMPROVEMENT REQUIREMENTS [RESERVED]**
- 9.6 DEMOLITION ACTIVITIES [RESERVED]**
- 9.7 GRADING SPOILS**
All spoils piles shall be removed in accordance with the approved grading permit and/or building permit.
- 9.8 MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY [RESERVED]**
- 9.9 OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY [RESERVED]**



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

David Morrison
Director

MEMORANDUM

To: Charlene Gallina, Project Planner	From: Kim Withrow, Environmental Health Supervisor
---------------------------------------	--

Date: November 4, 2021	Re: Meyers Water Company APN: 048-042-028 Project #: P21-00091
------------------------	--

This Division has reviewed an application requesting approval to relocate a well, water treatment and distribution system known as the Meyers Water Company to continue to serve the southern portion of the Edgerly Island Subdivision. This Division has no objection to approval of the application with the following conditions of approval:

Prior to building permit issuance:

1. The water supply and related components must comply with the California Safe Drinking Water Act and Related Laws. This will require plan review and approval prior to approval of building permits. The technical report must be completed by a licensed engineer with experience in designing water systems. Prior to occupancy, an amended domestic water supply permit must be obtained from this Division. The applicant must comply with all required monitoring and reporting and all water supply permit conditions.
2. All waste water lines of the proposed development must be connected to the Napa River Reclamation District No. 2109. Proof of connection/will serve will be required prior to approval of a building permit for any structure with capabilities to discharge wastewater.
3. The residential development must be connected to the Meyers Water Company for domestic water. The new connection won't be approved until condition of approval 1 above has been satisfied.

Upon final occupancy and thereafter:

4. Pursuant to Chapter 6.95 of the California Health and Safety Code, businesses that store hazardous materials above threshold planning quantities (55 gallons liquid, 200 cubic feet compressed gas, or 500 pounds of solids) shall obtain a permit, file an approved Hazardous Materials Business Plan to <http://cers.calepa.ca.gov/>, and be approved by this Division within 30 days of said activities.
5. All solid waste shall be stored and disposed of in a manner to prevent nuisances or health threats from insects, vectors and odors.



A Tradition of Stewardship
A Commitment to Service

Napa County Fire Department
Fire Marshal's Office
Hall of Justice, 2nd Floor
1125 3rd Street
Napa, CA 94559

Office: (707) 299-1466

Adam Mone
Fire Plans Examiner

MEMORANDUM

TO: Planning	DATE: 11/9/2021
FROM: Adam Mone, Plans Examiner	
SUBJECT: P21-00091 Meyers Water Company	048-042-028-000

The Napa County Fire Marshal's Office has reviewed the submittal package for the above proposed project. The Fire Marshal approves the project as submitted with the following conditions of approval:

1. All construction and use of the facility shall comply with all applicable standards, regulations, codes and ordinances at time of Building Permit issuance.
2. A compliant wetdraft hydrant is required for this project. Building permit drawings must show the installation of a new 2,500 gallon water tank dedicated for fire suppression (or a connection to other proposed water tanks) and an approved outlet. Water for Fire Suppression may not be drawn from the river.
3. Beneficial occupancy will not be granted until all fire department fire and life safety items have been installed, tested and finalized.
4. Separate submittals required for Building permits and Automatic Fire Sprinkler permits.
- 5.
6. An automatic fire sprinkler system shall be installed in accordance with provisions set forth in the California Fire Code as amended by the County of Napa and the applicable National Fire Protection Association Standard. Automatic fire sprinkler systems shall be designed by a fire protection engineer or C-16 licensed contractor.
7. Provide 100 feet of defensible space around all structures.

Please note that the comments noted above are based on a Fire Marshal review only. There may be additional comments or information requested from other County Departments or Divisions reviewing this application submittal package. Napa County Fire Marshal's Office Development Guidelines can be found @ www.countyofnapa.org/firemarshal. Should you have any questions of me, contact me at (707)299-1466 or email at adam.mone@countyofnapa.org



A Tradition of Stewardship
A Commitment to Service

Planning, Building, & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.co.napa.ca.us

Main: (707) 253-4417
Fax: (707) 253-4336

David Morrison
Director

To: Charlene Gallina, Project Planner	From: Stacie Gutierrez, Plans and Permit Supervisor
Date: November 4, 2021	Re: Meyers Water Company P21-00091-UP

Building Inspection Division Conditions of Approval

Comments: The Building Division is not reviewing this project for compliance with the California Building Standards at this time; the Building Division is reviewing the proposed Planning entitlements only, the Building Division has no issues or concerns with the approval of the Use Permit; it is a Planning entitlement and does not in itself authorize any construction activities. Separate building permits shall be required.

The plans provided for the Use Permit application do not provide enough information in sufficient detail to determine all code requirements. A complete and thorough plan review will be performed at the time of application is made for the required building, plumbing, mechanical, electrical, and any other construction permits required by other Napa County Agencies. The following comments are provided to make the applicant aware of what codes the applicant will be required to comply with, as well as issues that may need to be addressed prior/during the building permit application and review process.

1. In accordance with the California Building Code, Chapter 1, Division 1, Section 1.1.9, which states, "only those standards approved by the California Building Standards Commission that are effective at the time of application for a building permit is submitted shall apply to the plans and specifications for and to the construction under that permit.. The codes adopted at this time are the 2019 California Building Standards Codes, Title 24, part 2, Building volumes 1 &2, part 3 Electrical, part 4 Mechanical, part 5 Plumbing, part 6 Energy, part 9 Fire and part 11 Green Buildings.
2. Items to take into consideration for the Building Permit Process:
 - a. A full review of the structure will be done at the time of permit submittal, this building would require engineering for the mixed construction use of modular

home above a site built first floor. Please make sure that you are providing engineered plans and calcs with your submittal.

- b. Deck are not allowed to be permanently attached to an HCD approved modular home, if you are wanting to have them be attached you will need have the unit modifications approved by HCD, or the deck will have to be free standing. Be sure to provide engineering for the decks at time of submittal.
 - c. Consult with your design professional to ensure at the time of Building Permit submittal that you have provided that proper separation from mixed occupancies. Have your design professional provide an exit plan at the time of permit application.
3. Any existing structures and/or buildings on the property that will be demolished require a separate demolition permit issued by The Napa County Building Division prior to demolition. The applicant will be required to provide a J number form Bay Area Air Quality Management District at the time of application for the permit.

Issues with the compliance with the California Building Code, Title 24, will be addressed during the building permit application, review and approval process.

All plans and documents for commercial projects are required by California Law to be prepared and coordinated under the direction of a California Licensed Design Professional, such as an Architect and/or Engineer in accordance with the California Business and Professions Code Chapter 3, and the California Building Code, Chapter 1.

Stacie Gutierrez
Plans and Permit Supervisor
County of Napa Building Department
1195 Third Street, Suite 210
Napa, CA 94558
Stacie.gutierrez@countyofnapa.org



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

David Morrison
Director

MEMORANDUM

To: Charlene Gallina, Planning	From: Daniel Hornett, Engineering
Date: September 28, 2021	Re: P21-00091 Meyers Water Company APN: 048-042-028

The Engineering Division has reviewed the use permit application P21-00091 for the water distribution center located on assessor's parcel number 048-042-028. Based upon the information provided in the application, Engineering finds the application **complete** and recommends the following conditions of approval:

EXISTING CONDITIONS

1. The Existing Parcel is in a designated 100-year FEMA Flood Zone AE

RECOMMENDED APPROVAL CONDITIONS:

OPERATIONAL CHARACTERISTICS

1. The facility is designated as a discharger that discharges stormwater associated with industrial activity to waters of the United States. Therefore, the facility shall maintain or apply for coverage under the State Water Resources Control Board's Industrial General Permit (IGP), including meeting all applicable provision and protocols of the IGP. If the facility fails to meet the discharge prohibitions of the IGP, Napa County may require the facility to make the necessary improvements to eliminate all exposures to stormwater of the pollutant(s) for which the water body is impaired.

PREREQUISITES FOR ISSUANCE OF PERMITS

2. Any roadway, access driveway, and parking areas, proposed new or reconstructed shall meet the requirements as outlined in the latest edition of the Napa County Road & Street Standards for Commercial development at the time of use permit approval.
3. All on site civil improvements including but not limited to the excavation, fill, general grading, drainage, curb, gutter, surface drainage, storm drainage, parking and drive isles, shall be constructed according to plans prepared by a registered professional, which will be reviewed and approved by the Engineering Division of the Napa County Planning, Building, and Environmental Services Department (PBES) **prior to the commencement** of any on site land

preparation or construction. Plans shall be wet signed and submitted with the building and/or grading permit documents at the time of permit application. A plan check fee will apply.

4. Grading and drainage improvements shall be constructed according to the current Napa County Road and Street Standards, Chapter 16.28 of the Napa County Code, and Appendix J of the California Building Code.
5. **Prior to issuance of a building permit** the owner shall submit the necessary documents for Erosion Control as determined by the area of disturbance of the proposed development in accordance with the Napa Countywide Stormwater Pollution Prevention program Erosion and Sediment Control Plan Guidance for Applicant and Review Staff dated December 2014.
6. **Prior to issuance of a building permit** the owner shall prepare a Single-Family Home/Small Development Project Stormwater Control Plan (SCP) in accordance with the latest edition of the BASMAA Post-Construction Manual for review and approval by the Engineering Division in PBES.
7. **Prior to issuance of a building permit**, an Operation and Maintenance Plan shall be submitted and tentatively approved by the Engineering Division in PBES. **Before final occupancy** the property owner must legally record the "Operation and Maintenance Agreement", approved by the Engineering Division in PBES.
8. No person shall deposit or remove any material, excavate, construct, install, alter or remove any structure within, upon or across a Special Flood Hazard Area, nor otherwise alter the hydraulic characteristics of a Special Flood Hazard Area **without first obtaining a floodplain permit** pursuant to Chapter 16.04 of the Napa County Code and in conformance with county Code and 44 CFR Section 60.3. Additional information will be required at that time to demonstrate conformance with Chapter 16.04

PREREQUISITES FOR TEMPORARY CERTIFICATE OF OCCUPANCY

9. Completed Elevation certificate (FEMA Form 086-0-33) shall be submitted and approved by the Engineering Division **prior to execution** of any new entitlements.

PREREQUISITES FOR FINAL CERTIFICATION OF OCCUPANCY

10. Site shall be completely stabilized to the satisfaction of the County Engineer prior to Final Occupancy.

Any changes in use may necessitate additional conditions for approval.

If you have any questions regarding the above items, please contact Daniel Hornett from Napa County Planning, Building, and Environmental Services Department, Engineering Division, at (707)299-1358 or by email at Daniel.Hornett@countyofnapa.org