

“D”

Napa Valley Museum Use Permit
(P24-00072-UP) & Variance
(P24-00241) Approval Letter &
Conditions of Approval



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org
Main: (707) 253-4417

Brian D. Bordona
Director

October 7, 2024

Napa Valley Museum

P.O. Box 3567
Yountville, CA 94599

Dear Napa Valley Museum,

Please be advised that Use Permit P24-00072-UP and Variance P24-00241-VAR were **APPROVED** by the Napa County Planning Commission (Commission) on October 2, 2024, subject to the attached final conditions of approval (as amended), Napa County Department comments, and all applicable Napa County regulations. The Commission also adopted a Categorical Exemption pursuant to the requirements of the California Environmental Quality Act (CEQA).

This permit is effective immediately unless an appeal is filed with the Napa County Board of Supervisors pursuant to Chapter 2.88 of the Napa County Code. You may appeal the conditions of approval. In the event an appeal is made to the Board by another, you will be notified.

You are hereby further notified that the ninety-day period, established by California Government Code Section 66020(d)(1), in which to protest the imposition of any fees, dedications, reservations, or other exactions, which may have been adopted as conditions of approval has commenced.

If you have any questions about this letter, please feel free to contact me at (707) 253-4307 or via email at andrew.amelung@countyofnapa.org.

Sincerely,

Andrew Amelung
Planner II

CC: R & R LAND, LLC via email: guy.byrne@lrico.com
Jeff Dodd; Coblenz Patch Duffy & Bass, LLP via email: jdodd@coblenzlaw.com
Restaurant 209 via email: justin.williams@pressnapavalley.com

**PLANNING COMMISSION HEARING – OCTOBER 2, 2024
CONDITIONS OF APPROVAL**

**NAPA VALLEY MUSEUM USE PERMIT AND VARIANCE
APPLICATION NO. P24-00072 & P24-00241
607 ST. HELENA HIGHWAY, ST. HELENA, 94574
(APN #027-150-001-000)**

This Permit encompasses and shall be limited to the project commonly known as **Napa Valley Museum Use Permit and Variance, located at 607 St. Helena Highway, St. Helena**. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and, therefore, have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

PART I

1.0 PROJECT SCOPE

This Permit encompasses and replaces the terms of the Certificate of Extent of Legal Nonconformity 96472 (CLN 96472) approved on March 31, 1997, and shall be limited to:

- 1.1 The conversion of an existing structure with approximately 10,775 square feet of combined market use (7,880 square feet) and ancillary use (2,895 square feet) to a reduced market use (1,439 square feet) and an increased ancillary use (3,022 square feet), with the conversion of 6,272 square feet to quasi-public use in the form of a nonprofit museum, for a total of 10,733 square feet. The quasi-public use will be open to the public from 10am-5pm, with up to six events of up to 200 people per year.
- 1.2 The approval of a Variance (P24-00241-VAR) to maintain the existing parking and landscaping as described in the CLN 96472 as an exception to the current landscaping and parking requirements for the Commercial Neighborhood (CN) base zoning district described in Napa County Code (NCC) § 18.32.060 and 18.32.070.

The **Napa Valley Museum** shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility

of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved. Any expansion of or change in use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification process.

2.0 STATUTORY AND CODE SECTION REFERENCES

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

3.0 MONITORING COSTS

All Staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee’s contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the permittee’s expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

PART II

4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT

Permittee shall comply with the following during operation of the project:

4.1 GROUND WATER MANAGEMENT – WELLS **[RESERVED]**

4.2 AMPLIFIED MUSIC

There shall be no amplified sound system or amplified music utilized outside of approved, enclosed, buildings.

4.3 TRAFFIC

To the maximum extent feasible, scheduling of reoccurring vehicle trips to and from the site for employees and deliveries shall not occur during peak travel times (4:00 p.m. – 6:00 p.m.). All road improvements on private property required per Engineering Services shall be maintained in good working condition and in accordance with the Napa County Roads and Streets Standards.

4.4 PARKING

The location and visitor parking and truck loading zone areas shall be identified along with proposed circulation and traffic control signage.

Parking shall be limited to approved parking spaces only and shall not occur along access or public roads or in other locations except during authorized events. In no case shall parking impede emergency vehicle access or public roads.

Approximately 12 feet of the “front parking lot” may be located in the right of way of State Highway 29, and an additional 28 feet of this developed parking area appears to be located in the “road setback” required by the Napa County Code. No determination of legality is made with respect to any parking, curb, landscape feature, or sign structure located in the 40 feet of the site immediately southwest of the Highway 29 right-of-way.

4.5 BUILDING DIVISION – USE OR OCCUPANCY CHANGES

Please contact the Building Division with any questions regarding the following:

In accordance with the California Building Code (CBC), no change shall be made in the use or occupancy of an existing building unless the building is made to comply with requirements of the current CBC as for a new building.

4.6 FIRE DEPARTMENT – TEMPORARY STRUCTURES **[RESERVED]**

4.7 NAPA COUNTY MOSQUITO ABATEMENT PROGRAM **[RESERVED]**

4.8 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, MECHANICAL EQUIPMENT, AND TRASH ENCLOSURE AREAS

- a. All lighting shall be permanently maintained in accordance with the lighting and building plans approved by the County.
- b. All landscaping shall be permanently maintained in accordance with the landscaping approved by the County.
- c. All outdoor screening, storage, mechanical equipment and utility structures shall be permanently maintained in accordance with the landscaping and building plans approved by the County. No stored items shall exceed the height of the screening. Exterior equipment shall be maintained to not create a noise disturbance or exceed noise thresholds in the County Code.
- d. The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of the surrounding site-specific vegetation. The permittee shall obtain the written approval of the Planning Division prior to any change in

paint color that differs from the approved building permit. Highly reflective surfaces are prohibited.

- e. Designated trash enclosure areas shall be made available and properly maintained for intended use.

4.9 NO TEMPORARY SIGNS

Temporary off-site signage, such as "A-Frame" signs are prohibited.

4.10 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - OPERATIONAL CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division operational conditions as stated in their Memorandum dated April 19, 2024.
- b. Department of Public Works operational conditions as stated in their Memorandum dated June 11, 2024.
- c. Environmental Health Division operational conditions as stated in their Memorandum dated September 9, 2024.
- d. Fire Department operational conditions as state in their Memorandum dated September 9, 2024.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify this permit.

4.11 OPERATIONAL MITIGATION MEASURES **[RESERVED]**

4.12 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT

- a. Up to six (6) events per year with no more than 200 guests attending. All events shall be held entirely indoors with no more guests than the building's maximum occupancy will allow. Temporary off-site parking for event guests shall not occur on any property with a zoning of AP (Agricultural Preserve) or AW (Agricultural Watershed).
- b. Marketplace operational hours shall be 7 a.m. to 5 p.m.
- c. No Marketplace seating is authorized under this use permit. However, if the project's wastewater generation is at or less than 800 gallons per day

on an average daily basis for the first twelve (12) months of joint operation (reflecting a decrease in flows captured in the project's wastewater feasibility study), the Marketplace may have outdoor seating on the patio subject to the Operations & Maintenance Plan for the wastewater system.

- d. Museum operational hours shall be 10 a.m. to 10 p.m. Use of the museum from 5 p.m. to 10 p.m. shall be by private invitation only.

4.13 PREVIOUS CONDITIONS [RESERVED]

PART III

5.0 PREREQUISITE FOR ISSUANCE OF PERMITS

5.1 PAYMENT OF FEES

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES

Permittee shall comply with the following with the submittal of a grading, demolition environmental, building and/or other applicable permit applications:

6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division operational conditions as stated in their Memorandum dated April 19, 2024.
- b. Department of Public Works operational conditions as stated in their Memorandum dated June 11, 2024.
- c. Environmental Health Division operational conditions as stated in their Memorandum dated September 9, 2024.
- d. Fire Department operational conditions as state in their Memorandum dated September 9, 2024.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

6.2 BUILDING DIVISION – GENERAL CONDITIONS

Please contact the Building Division with any questions regarding the following:

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the CBC or any State or local amendment adopted thereto
- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a “J” number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.
- c. All areas of newly designed and newly constructed buildings, facilities and or site improvements must comply with the CBC accessibility requirements, as well as, American with Disabilities Act requirements when applicable. When alterations or additions are made to existing buildings or facilities, an accessible path of travel to the specific area of alteration or addition shall be provided as required per the CBC.

6.3 LIGHTING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the CBC.
- b. All exterior lighting, including landscape lighting, shall be shielded and directed downward; located as low to the ground as possible; the minimum necessary for security, safety, or operations; on timers; and shall incorporate the use of motion detection sensors to the greatest extent practical. All lighting shall be shielded or placed such that it does not shine directly on adjacent properties or impact vehicles on adjacent streets. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be utilized in parking areas as opposed to elevated high-intensity light standards.

6.4 LANDSCAPING – PLAN SUBMITTAL **[RESERVED]**

6.5 COLORS

The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of

the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division in conjunction with building permit review and/or prior to painting the building. Highly reflective surfaces are prohibited.

6.6 OUTDOOR STORAGE/SCREENING/UTILITIES

- a. Details of outdoor storage areas and structures shall be included on the building and landscape plans. All outdoor storage of equipment shall be screened from the view of residences of adjacent properties by a visual barrier consisting of fencing or dense landscaping. No stored item shall exceed the height of the screening. Water and fuel tanks, and similar structures, shall be screened to the extent practical so as to not be visible from public roads and adjacent parcels.
- b. New utility lines required for this project that are visible from any designated scenic transportation route (see Community Character Element of the General Plan and the County Code) shall be placed underground or be made virtually invisible from the subject roadway.

6.7 MECHANICAL EQUIPMENT

- a. Roof mounted equipment shall be screened by a parapet wall of equal or greater height than the highest piece of roof mounted equipment or vent. Equipment may be screened by a separate roof screen that is architecturally integrated with the building if screening by a parapet wall is not feasible or is architecturally undesirable. When separate roof screens are used, roof equipment should be organized into major groups screening a smaller number of units rather than multiple areas. The PBES Director may approve exceptions for solar equipment. All screening is subject to review and approval by the PBES Director. Any skylights shall be subject to review and approval by the PBES Director prior to the issuance of building permits.
- b. The term "equipment" includes roof mounted equipment or vents, electrical equipment, gas meter, communication antennas, irrigation valves, storage tanks, or other mechanical equipment. The manner of screening shall be as follows: Communications equipment, including microwave equipment, may remain unscreened if visually integrated with the building design through color, location, and construction; all building mounted equipment, including but not limited to louvers, pipes, overhead doors or service doors, access ladders, downspouts, conduit, and electrical/service boxes, shall be painted consistent with the color scheme of the building.
- c. Ground mounted equipment shall be screened by walls or landscaping to the satisfaction of the PBES Director.
- d. Exterior equipment shall be located, enclosed or muffled so as not to exceed noise thresholds in the County Code.

6.8 TRASH ENCLOSURES

Adequate area must be provided for collection and loading of garbage and recyclables generated by the project. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the pedestrian and vehicle access needed for the collection site. The garbage and recycling enclosure shall meet the minimum enclosure requirements established by staff and the franchised hauler, which shall be included in the building permit submittal.

6.9 ADDRESSING

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

6.10 HISTORIC RESOURCES **[RESERVED]**

6.11 DEMOLITION ACTIVITIES **[RESERVED]**

6.12 VIEWSHED – EXECUTION OF USE RESTRICTION **[RESERVED]**

6.13 PERMIT PREREQUISITE MITIGATION MEASURES **[RESERVED]**

6.14 PARCEL CHANGE REQUIREMENTS **[RESERVED]**

6.15 FINAL MAPS **[RESERVED]**

6.16 OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING PROCESS **[RESERVED]**

7.0 PROJECT CONSTRUCTION

Permittee shall comply with the following during project construction:

7.1 SITE IMPROVEMENT

Please contact Engineering Services with any questions regarding the following:

a. GRADING & SPOILS

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. DUST CONTROL

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize

the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. AIR QUALITY

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt tracked onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5) minutes (as required State Regulations). Clear signage shall be provided for construction workers at all access points.
8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ http://www.arb.ca.gov/portable/perp/perpfaq_04-16-15.pdf or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

d. STORM WATER CONTROL

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County

7.2 ARCHEOLOGICAL FINDING

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 CONSTRUCTION NOISE

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities only shall occur daily between the hours of 8:00 AM to 5:00 PM.

7.4 CONSTRUCTION MITIGATION MEASURES **[RESERVED]**

7.5 OTHER CONSTRUCTION CONDITIONS APPLICABLE TO THE PROJECT PROPOSAL **[RESERVED]**

8.0 TEMPORARY CERTIFICATE OF OCCUPANCY – PREREQUISITES

A Temporary Certificate of Occupancy (TCO) may be granted pursuant to the County Code to allow specific limited use of the project P24-00072 prior to completion of all project improvements. Permittee shall comply with the following before a TCO is granted:

8.1 TEMPORARY OCCUPANCY

All life and safety conditions shall be addressed prior to issuance of a TCO by the County Building Official. TCOs shall not be used for the occupancy of hospitality buildings and shall not exceed the maximum time allowed by the County Code which is 180 days. In special circumstances, Departments and/or Agencies with jurisdiction over the project are authorized as part of the TCO process to require a security deposit or other financial instrument to guarantee completion of unfinished improvements.

9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence:

9.1 FINAL OCCUPANCY

All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.

9.2 SIGNS

Detailed plans, including elevations, materials, color, and lighting for any project identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if the signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. Any off-site signs allowed shall be in conformance with the County Code.

9.3 GATE/ENTRY STRUCTURES **[RESERVED]**

9.4 LANDSCAPING

Landscaping shall be installed in accordance with the approved site plans and conditions described in the Department of Public Works operational conditions as stated in their Memorandum dated June 11, 2024.

9.5 ROAD OR TRAFFIC IMPROVEMENT REQUIREMENTS **[RESERVED]**

9.6 DEMOLITION ACTIVITIES **[RESERVED]**

9.7 GRADING SPOILS **[RESERVED]**

9.8 MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**

9.9 OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

Brian D Bordona
Director

MEMORANDUM

To: Curtis Sawyer, Planning	From: Raulton Haye, Engineering
Date: April 19, 2024	Re: P24-00072 Napa Valley Museum APN: 027-150-001

The Engineering Division has reviewed the use permit application P24-00072 for the Museum located on assessor’s parcel number 027-150-001. Based upon the information provided in the application, Engineering finds the application **complete** and recommends the following conditions of approval:

RECOMMENDED APPROVAL CONDITIONS:

OPERATIONAL CHARACTERISTICS

1. The facility is designated as a discharger that discharges stormwater associated with industrial activity to waters of the United States. Therefore, the facility shall maintain or apply for coverage under the State Water Resources Control Board’s Industrial General Permit (IGP), including meeting all applicable provision and protocols of the IGP. If the facility fails to meet the discharge prohibitions of the IGP, Napa County may require the facility to make the necessary improvements to eliminate all exposures to stormwater of the pollutant(s) for which the water body is impaired.

PREREQUISITES FOR ISSUANCE OF PERMITS

2. Any roadway, access driveway, and parking areas, proposed new or reconstructed shall meet the requirements as outlined in the latest edition of the Napa County Road & Street Standards for Commercial development at the time of use permit approval. The property owner shall obtain a grading permit for all proposed roadway improvements.
3. All on site civil improvements including but not limited to the excavation, fill, general grading, drainage, curb, gutter, surface drainage, storm drainage, parking and drive isles, shall be constructed according to plans prepared by a registered civil engineer, which will be reviewed and approved by the Engineering Division of the Napa County Planning, Building, and Environmental Services Department (PBES) **prior to the commencement** of any on site land preparation or construction. Plans shall be wet signed and submitted with the building and/or grading permit documents at the time of permit application. A plan check fee will apply.

4. Grading and drainage improvements shall be constructed according to the current Napa County Road and Street Standards, Chapter 16.28 of the Napa County Code, and Appendix J of the California Building Code.
5. **Prior to issuance of a building permit** the owner shall submit the necessary documents for Erosion Control as determined by the area of disturbance of the proposed development in accordance with the Napa Countywide Stormwater Pollution Prevention program Erosion and Sediment Control Plan Guidance for Applicant and Review Staff dated December 2014.
6. **Prior to issuance of a building permit** the owner shall prepare a Regulated Project Stormwater Control Plan (SCP) in accordance with the latest edition of the BASMAA Post-Construction Manual for review and approval by the Engineering Division in PBES.
7. **Prior to issuance of a building permit**, an Operation and Maintenance Plan shall be submitted and tentatively approved by the Engineering Division in PBES. **Before final occupancy** the property owner must legally record the "Operation and Maintenance Agreement", approved by the Engineering Division in PBES.

PREREQUISITES FOR TEMPORARY CERTIFICATE OF OCCUPANCY

8. All roadway improvements shall be completed **prior to execution** of any new entitlements approved under this Use Permit. **** If no temporary occupancy is requested, then this becomes a requirement prior to final occupancy.**

PREREQUISITES FOR FINAL CERTIFICATION OF OCCUPANCY

9. Site shall be completely stabilized to the satisfaction of the County Engineer prior to Final Occupancy.

Any changes in use may necessitate additional conditions for approval.

If you have any questions regarding the above items, please contact Raulton Haye from Napa County Planning, Building, and Environmental Services Department, Engineering Division, at (707)253-4621 or by email at Raulton.Haye@countyofnapa.org



A Tradition of Stewardship
A Commitment to Service

Department of Public Works

1195 Third Street, Suite 101
Napa, CA 94559-3092
www.countyofnapa.org/publicworks

Main: (707) 253-4351
Fax: (707) 253-4627

Steven Lederer
Director

MEMORANDUM

To: PBES Staff	From: Syed Ahsan Kazmi, P. E. Senior Traffic Engineer
Date: June 11, 2024 Updated: September 26, 2024	Re: Napa Valley Museum, P24-00072 Conditions of Approval

This memorandum is prepared at the request of Planning, Building, and Environmental Services (PBES) staff to assess the Trip Generation Study for the proposed Napa Valley Museum. The project is located at 607 South St. Helena Highway (SR 29), (APN 027-150-001), in Napa County, CA.

To prepare this memorandum, the following documents were reviewed:

- Draft Trip Generation Study for the Napa Valley Museum Project dated February 21, 2024 by W-Trans
- Response to Comments on the Trip Generation Study dated May 28, 2024 by W-Trans
- Updated Project Narrative in Submittal 2 dated May 29, 2024

After careful evaluation of the above mentioned submitted documents, we provide the following conditions of approval:

1. **Bicycle Facilities:** The applicant/permittee shall provide bicycle parking adjacent to visitor and employee entrances. Bicycle parking should be provided per the County of Napa Municipal Code.
2. **On Street Parking:** Parking within the public right-of-way will be prohibited during all events.
3. **Landscaping Maintenance:** Landscaping at the project driveways shall be maintained to not interfere with sight lines required for safe stopping distance on the public right-of-way. No items that are wider than 18 inches can be taller than 30 inches other than street trees and traffic control devices. Street trees should be deciduous and have branches lower than 4 feet in height up kept once the tree is established.
4. **Encroachment Permit Required:** An encroachment permit will be required for any improvements in the County's Right-of-Way, such as the new driveway access. For the application submittal process contact the Roads Division at 707-944-0196. The improvements shall be constructed in compliance with the Napa County Road & Street Standards. The Registered Civil Engineer, upon completion of the improvements, must certify to the Department of Public Works that the improvements are made in accordance with all conditions of approval, including any related land use permit conditions and the approved improvement plans. Completion of improvements and certification shall be completed prior to occupancy or establishment of use.

If you have any questions or concerns on this matter, please contact Ahsan Kazmi, P. E. at ahsan.kazmi@countyofnapa.org or call (707) 259-8370 if you have any questions.



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

Brian Bordona
PBES Director

MEMO R A N D U M

To:	Andrew Amelung, Planner II	From:	Maureen S. Bown R.E.H.S. <i>MSB</i>
Date:	September 9., 2024	Re:	Napa Valley Museum Located at 607 S. St Helena Hwy, Assessor Parcel # 027-150-001-000 Use permit P24-00072

Environmental Health staff has reviewed an application for the Napa Valley Museum and existing deli with market. This Use Permit is being considered in conjunction with Certificate of the Extent of Legal Nonconformity (96472-CLN), which established the existing use on the property. This Division has no objection to approval of the application with the following conditions of approval:

Prior to issuance of building permits:

1. Complete plans and specifications for the food preparation, service area(s), storage area(s) and the employee restrooms must be submitted for review and approval by this Division prior to issuance of any building permits for said areas. An annual food permit will be required. Contact the Consumer Protection Division for more information.
2. The building plans may not include outdoor seating, per Certificate of the Extent of Legal Nonconformity.
3. Permits to repair the sanitary wastewater treatment system improvements, as described in the Onsite Wastewater Feasibility Report, shall be designed by a licensed Civil Engineer or Registered Environmental Health Specialist, and be accompanied by complete design criteria based upon local conditions. No building clearance for any structure that generates wastewater to be disposed of by this system will be approved until such plans are approved by this Division and a repair permit is secured.

During construction and prior to final occupancy being granted:

4. The wastewater feasibility study submitted as part of the use permit application includes a design flow of 1,000 gallons per day for the existing onsite wastewater system that was installed as a repair due to a system failure in 2011. Because the existing onsite wastewater system dispersal field was repaired and no replacement area is available for this site, the following is required:

- A. Submit an Operations and Maintenance plan, for review and approval by this Division, that will be implemented at any time wastewater generation exceeds 800 gallons per day. The plan shall include:
 1. Daily recording of wastewater discharges with reports submitted to this Division monthly. If the daily wastewater flow exceeds 800 gpd, the Division shall be notified immediately.
 2. A contingency plan for reducing wastewater discharge to less than 800 gpd, including but not limited to closure, minimized on-site food preparation, reduced on-site utensil washing, an approved permitted commissary, etc.
5. The owner must apply for and obtain an annual operating permit for the food facility (s) prior to issuance of final occupancy.
6. An annual alternative sewage treatment system monitoring permit must be maintained for the sanitary wastewater subsurface drip onsite wastewater treatment system prior to issuance of final occupancy.
7. During the construction, demolition, or renovation period of the project the applicant must use the franchised garbage hauler for the service area in which they are located for all wastes generated during project development, unless applicant transports their own waste. If the applicant transports their own waste, they must use the appropriate landfill or solid waste transfer station for the service area in which the project is located.

Upon final occupancy and thereafter:

8. Maintain all annual operating permits and compliance with an approved onsite wastewater operations and maintenance plan, contingency plan, monitoring and reporting requirements.
9. The owner shall file for a storm water permit from this Division, if applicable, within 30 days of receiving a temporary or final certificate of occupancy. Certain facilities may be exempt from storm water permitting. A verification inspection will be conducted to determine if exemption applies.
10. All solid waste shall be stored and disposed of in a manner to prevent nuisances or health threats from insects, vectors and odors.
11. Adequate area must be provided for collection of recyclables. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the access needed for the collection site. The garbage and recycling enclosure must meet the enclosure requirements provided during use permit process and be included on the building permit submittal. The designated area shall remain available and be properly maintained for its intended use.



A Tradition of Stewardship
A Commitment to Service

Napa County Fire Department
Fire Marshal's Office

951 California Blvd
Napa, CA 94559
www.countyofnapa.org
Main: (707) 299-1464

Jason W. Downs
Fire Marshal

Napa County Fire Department Conditions of Approval

TO:	Planning Department	DATE:	9/9/2024
FROM:	Jason Downs, Fire Marshal	PERMIT #	P24-00072
SUBJECT:	Napa Valley Museum	APN:	027-150-001-000

The Napa County Fire Marshal's Office has reviewed the submittal package for the above-proposed project. The Fire Marshal approves the project as submitted with the following conditions of approval:

1. All construction and use of the facility shall comply with all applicable standards, regulations, codes, and ordinances at the time of Building Permit issuance.
2. Beneficial occupancy will not be granted until all fire department fire and life safety items have been installed, tested, and finalized.
3. Where conditions listed in 2022 California Fire Code Section 105 are proposed, separate permits will be required before Building Permit issuance for:
 1. Automatic fire-extinguishing systems
 2. Fire alarm and detection systems and related equipment
4. All buildings, facilities, and developments shall be accessible to fire department apparatus by way of approved access roadways and/or driveways. The fire access road shall comply with the requirements of the Napa County Road & Street Standards
5. Commercial - Water storage (for buildings not served by a public water system) and fire flow calculations shall be provided by a Certified State Licensed Civil Engineer, C-16 licensed contractor, or registered engineer indicating compliance with California Fire Code Appendix B and the Napa County Municipal Code.
6. Commercial - Approved pressurized hydrants shall be installed within 250 feet of any exterior portion of the building as measured along vehicular access roads. Private fire service mains shall be installed, tested, and maintained per NFPA 24.



A Tradition of Stewardship
A Commitment to Service

**Napa County Fire Department
Fire Marshal's Office**

951 California Blvd
Napa, CA 94559
www.countyofnapa.org
Main: (707) 299-1464

Jason W. Downs
Fire Marshal

Napa County Fire Department Conditions of Approval

7. Commercial - Fire Department Connections (FDC) for automatic sprinkler systems shall be located fully visible and recognizable from the street or fire apparatus access roads. FDC shall be located within 50 feet of an approved fire hydrant.
8. Commercial - The minimum main size of all fire hydrants shall be 6 inches in diameter. Piping shall be installed with C-900 class 200 piping or ductile iron or equivalent per NFPA 24 for the installation of Underground Fire Protection Mains
9. An automatic fire sprinkler system shall be installed by provisions outlined in the California Fire Code as amended by the County of Napa and the applicable National Fire Protection Association Standard. Automatic fire sprinkler systems shall be designed by a fire protection engineer or C-16 licensed contractor.
10. All buildings shall comply with California Fire Code, Chapter 10 Means of Egress requirements. Including but not limited to; exit signs, exit doors, exit hardware, and exit illumination.

Please note the conditions of approval noted above are based on the Fire Marshal review only. There may be additional comments or information requested from other County Departments or Divisions reviewing this application submittal package. Napa County Fire Marshal's Office Development Guidelines can be found @ www.countyofnapa.org/firemarshal. Should you have any further questions please contact me at (707) 299-1467 or email me at jason.downs@countyofnapa.org