

**“B”**

## **Recommended Conditions of Approval**

1270 Loma Vista Drive Viewshed Protection Program  
Application #P24-00054  
Zoning Administrator Hearing Date August 27, 2025

**ZONING ADMINISTRATOR HEARING – AUGUST 27, 2025**  
**RECOMMENDED CONDITIONS OF APPROVAL**

**1270 LOMA VISTA DRIVE VIEWSHED PROTECTION PROGRAM APPLICATION**  
**P24-00054-VIEW**  
**1270 LOMA VISTA DR, NAPA 94558**  
**APN: 039-670-014**

This Permit encompasses and shall be limited to the project commonly known as the **1270 Loma Vista Drive Viewshed Protection Program Application**, located at **1270 Loma Vista Drive, Napa, CA 94558**. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and, therefore, have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

**PART I**

**1.0 PROJECT SCOPE**

This Permit encompasses and shall be limited to:

**1.1 Approval of a Viewshed Protection Program Application to allow the following:**

- a) Reconstruction of a single-family home totaling approximately 3,129 square feet.
- b) Installation of new landscaping to screen the project in compliance with the Napa County Viewshed Protection Program.
- c) Installation of a new 2,500 gallon fire suppression water storage tank.
- d) Roadway improvements, including the installation of turnouts and select areas of road widening.

The residence shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved. Any expansion of or change in use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification process.

## **2.0 STATUTORY AND CODE SECTION REFERENCES**

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

## **3.0 MONITORING COSTS**

All Staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the permittee's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

## **PART II**

## **4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT**

Permittee shall comply with the following during operation of the project:

- 4.1 GROUND WATER MANAGEMENT – WELLS **[RESERVED]**
- 4.2 AMPLIFIED MUSIC **[RESERVED]**
- 4.3 TRAFFIC **[RESERVED]**
- 4.4 PARKING **[RESERVED]**
- 4.5 BUILDING DIVISION – USE OR OCCUPANCY CHANGES **[RESERVED]**
- 4.6 FIRE DEPARTMENT – TEMPORARY STRUCTURES **[RESERVED]**
- 4.7 NAPA COUNTY MOSQUITO ABATEMENT PROGRAM **[RESERVED]**
- 4.8 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, MECHANICAL EQUIPMENT, AND TRASH ENCLOSURE AREAS

- a. All lighting shall be permanently maintained in accordance with the lighting and building plans approved by the County.
- b. All landscaping shall be permanently maintained in accordance with the landscaping approved by the County.
- c. **[RESERVED]**
- d. The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division prior to any change in paint color that differs from the approved building permit. Highly reflective surfaces are prohibited.
- e. **[RESERVED]**

4.9 NO TEMPORARY SIGNS **[RESERVED]**

4.10 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - OPERATIONAL CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division operational conditions as stated in their Memorandum dated January 23, 2025.
- b. Fire Department operational conditions as stated in their Inter-Office Memo dated January 24, 2025.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify this permit.

4.11 OPERATIONAL MITIGATION MEASURES **[RESERVED]**

4.12 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT **[RESERVED]**

4.13 PREVIOUS CONDITIONS **[RESERVED]**

### PART III

## 5.0 PREREQUISITE FOR ISSUANCE OF PERMITS

5.1 PAYMENT OF FEES

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

**6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES**

Permittee shall comply with the following with the submittal of a grading, demolition environmental, building and/or other applicable permit applications:

6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division plan review/construction/preoccupancy conditions as stated in their Memorandum dated January 23, 2025.
- b. Fire Department plan review/construction/preoccupancy conditions as stated in their Inter-Office Memo dated January 24, 2025.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

6.2 BUILDING DIVISION – GENERAL CONDITIONS

Please contact the Building Division with any questions regarding the following:

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the CBC or any State or local amendment adopted thereto
- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a "J" number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.

c. **[RESERVED]**

6.3 LIGHTING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the CBC.
- b. All exterior lighting, including landscape lighting, shall be shielded and directed downward; located as low to the ground as possible; the minimum necessary for security, safety, or operations; on timers; and shall incorporate the use of motion detection sensors to the greatest extent practical. All lighting shall be shielded or placed such that it does not shine directly on adjacent properties or impact vehicles on adjacent streets. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be utilized in parking areas as opposed to elevated high-intensity light standards.

6.4 LANDSCAPING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed final landscaping and irrigation plan, including parking details, shall be submitted with the building permit application package for the Planning Division's review and approval prior to the issuance of any building permit associated with this permit. The plan shall be prepared pursuant to the Water Efficient Landscape Ordinance (Chapter 18.118 of the County Code) requirements in effect at the time of building permit application submittal, as applicable, and shall indicate the names and locations of all plant materials to be used along with their method of maintenance.
- b. Plant materials shall be purchased locally when practical, and, to the greatest extent possible, the plant materials shall be the same native plants found in Napa County. The Agricultural Commissioner's office shall be notified of all impending deliveries of live plants with points of origin outside of Napa County.
- c. No trees greater than 6" diameter at breast height shall be removed, except for those identified on the submitted site plan. Any Oak trees removed as a result of the project shall be replaced at a 2:1 ratio and shown on the landscaping plans for the Planning Division's review and approval. Trees to be retained shall be protected during construction by fencing securely installed at the outer most dripline of the tree or trees. Such fencing shall be maintained throughout the duration of the work undertaken in connection with project development/construction. In no case shall construction material, debris or vehicles be stored in the fenced tree protection area.
- d. Evergreen screening shall be installed between the industrial portions of the operation (e.g., tanks, crushing area, parking area, etc.) and any off-site residence from which these areas can be viewed.

e. **[RESERVED]**

6.5 **COLORS**

The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division in conjunction with building permit review and/or prior to painting the building. Highly reflective surfaces are prohibited.

6.6 **OUTDOOR STORAGE/SCREENING/UTILITIES [RESERVED]**

6.7 **MECHANICAL EQUIPMENT [RESERVED]**

6.8 **TRASH ENCLOSURES [RESERVED]**

6.9 **ADDRESSING**

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

6.10 **HISTORIC RESOURCES [RESERVED]**

6.11 **DEMOLITION ACTIVITIES [RESERVED]**

6.12 **VIEWSHED – EXECUTION OF USE RESTRICTION**

The property owner shall execute and record in the county recorder's office a use restriction, in a form approved by County Counsel, requiring that the residence, water storage tank, and associated physical road improvements shall be constructed in substantial compliance with the plans approved with this application dated February 29, 2024 to be maintained by the owner or the owner's successor so as to maintain conformance with the County Code.

6.13 **PERMIT PREREQUISITE MITIGATION MEASURES [RESERVED]**

6.14 **PARCEL CHANGE REQUIREMENTS [RESERVED]**

6.15 **FINAL MAPS [RESERVED]**

6.16 **OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING PROCESS [RESERVED]**

**7.0 PROJECT CONSTRUCTION**

Permittee shall comply with the following during project construction:

7.1 **SITE IMPROVEMENT**

Please contact Engineering Services with any questions regarding the following:

a. GRADING & SPOILS

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. DUST CONTROL

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. AIR QUALITY

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt tracked onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5) minutes (as required State Regulations). Clear signage shall be provided for construction workers at all access points.
8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any



portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ [http://www.arb.ca.gov/portable/perp/perpfaq\\_04-16-15.pdf](http://www.arb.ca.gov/portable/perp/perpfaq_04-16-15.pdf) or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

d. STORM WATER CONTROL

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the State Regional Water Quality Control Board.

7.2 ARCHEOLOGICAL FINDING

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 CONSTRUCTION NOISE

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities only shall occur daily between the hours of 8:00 AM to 5:00 PM.

7.4 CONSTRUCTION MITIGATION MEASURES **[RESERVED]**

7.5 OTHER CONSTRUCTION CONDITIONS APPLICABLE TO THE PROJECT PROPOSAL **[RESERVED]**

**8.0 TEMPORARY CERTIFICATE OF OCCUPANCY – PREREQUISITES**

8.1 TEMPORARY OCCUPANCY **[RESERVED]**

## **9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES**

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence:

### **9.1 FINAL OCCUPANCY**

All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.

### **9.2 SIGNS**

Detailed plans, including elevations, materials, color, and lighting for any project identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if the signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. Any off-site signs allowed shall be in conformance with the County Code.

### **9.3 GATE/ENTRY STRUCTURES**

Any gate installed at the project entrance shall be reviewed by the PBES Department and the Fire Department to assure that the design allows large vehicles, such as motorhomes, to turn around if the gate is closed without backing into the public roadway, and that fire suppression access is available at all times. If the gate is part of an entry structure an additional permit shall be required pursuant to the County Code and in accordance with the Napa County Roads and Street Standards. A separate entry structure permit is not required if the entry structure is consistent with entry structure plans submitted, reviewed, and approved as part of this permit approval.

### **9.4 LANDSCAPING**

Landscaping shall be installed in accordance with the approved landscape plan.

### **9.5 ROAD OR TRAFFIC IMPROVEMENT REQUIREMENTS [RESERVED]**

### **9.6 DEMOLITION ACTIVITIES [RESERVED]**

### **9.7 GRADING SPOILS**

All spoils piles shall be removed in accordance with the approved grading permit and/or building permit.

### **9.8 MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY [RESERVED]**

### **9.9 OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY [RESERVED]**



A Tradition of Stewardship  
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210  
Napa, CA 94559  
www.countyofnapa.org

**Brian D. Bordona**  
Director

## MEMORANDUM

|                             |   |
|-----------------------------|---|
| To: Curtis Sawyer, Planning | From: Jeannette Doss, Engineering <i>JD</i>   |
| Date: January 23, 2025      | Re: 1270 Loma Vista Drive<br>Viewshed – Engineering CoA<br>1270 Loma Vista Drive, Napa, CA<br>P24-00054 APN 039-670-014-000 |

The Engineering Division received a referral for comment on the above project. Based upon the information provided in the application, Engineering finds the application **complete** and recommends the following conditions of approval:

### EXISTING CONDITIONS:

1. Existing access taken from Loma Vista Drive via an existing residential driveway.
2. The existing parcel is approximately 6.02 acres.
3. Site was previously developed with a residence. The previously existing residence was destroyed in the 2017 Napa Fires.

### RECOMMENDED APPROVAL CONDITIONS:

#### PREREQUISITES FOR ISSUANCE OF PERMITS

1. Grading and drainage improvements shall be constructed according to the current Napa County Road and Street Standards, and Chapter 16.28 of the Napa County Code, and Appendix J of the California Building Code.
2. **Prior to issuance of a development permit** (i.e. building permit and/or grading permit) the owner shall submit the necessary documents for Erosion Control as determined by the area of disturbance of the proposed development in accordance with the Napa Countywide Stormwater Pollution Prevention Program Erosion and Sediment Control Plan Guidance document, dated December 2014.
3. **Prior to issuance of a building or grading permit** the owner shall demonstrate on the plans that all roadways, access driveways, and parking areas serving the project either currently meet the requirements and/or how they will be improved to meet the requirements as outlined in the latest edition of the Napa County Road & Street Standards for Residential development.

4. **Prior to issuance of a building or grading permit** the owner shall prepare a Stormwater Control Plan (SCP) in accordance with the latest edition of the BASMAA Post-Construction Manual for review and approval by the Engineering Division in PBES. The Stormwater Control Plan shall include the water balance analysis for the use of the existing wastewater pond to handle the additional stormwater flows.
5. **Prior to issuance of a building or grading permit** the owner shall provide proof of reservation of easement for any portions of the existing roadway or proposed roadway improvements that are not within the existing easement boundaries.

#### **PREREQUISITES DURING PROJECT CONSTRUCTION**

6. Required on-site pre-construction meeting with the Napa County PBES Engineering Division prior to start of construction.
7. All excess soil material proposed to be off hauled from the subject development shall be disposed to an approved location with the appropriate entitlements or permits which has been reviewed and approved to accept import material.

#### **PREREQUISITES FOR FINAL CERTIFICATION OF OCCUPANCY**

8. All roadway improvements shall be completed **prior to** issuance of final occupancy of new residence.
9. Site shall be completely stabilized to the satisfaction of the County Engineer prior to Final Occupancy.

**Any changes in use may necessitate additional conditions for approval.**

If you have any questions regarding the above items, please contact Jeannette Doss from Napa County Planning, Building, and Environmental Services Department, Engineering and Conservation Division, at (707) 259-8179 or by email at [Jeannette.Doss@countyofnapa.org](mailto:Jeannette.Doss@countyofnapa.org)



A Tradition of Stewardship  
A Commitment to Service

**Napa County Fire Department  
Fire Marshal's Office**

951 California Blvd  
Napa, CA 94559  
[www.countyofnapa.org](http://www.countyofnapa.org)  
Main: (707) 299-1464

**Jason W. Downs**  
Fire Marshal

## **Napa County Fire Department Conditions of Approval**

|                 |                           |                 |                 |
|-----------------|---------------------------|-----------------|-----------------|
| <b>TO:</b>      | Planning Department       | <b>DATE:</b>    | 3/6/2025        |
| <b>FROM:</b>    | Jason Downs, Fire Marshal | <b>PERMIT #</b> | P24-00054       |
| <b>SUBJECT:</b> | Loma Vista Viewshed       | <b>APN:</b>     | 061-103-024-000 |

The Napa County Fire Marshal's Office has reviewed the submittal package for the above-proposed project. The Fire Marshal approves the project as submitted with the following conditions of approval:

1. All construction and use of the facility shall comply with all applicable standards, regulations, codes, and ordinances at the time of Building Permit issuance.
2. All buildings, facilities, and developments shall be accessible to fire department apparatus by way of approved access roadways and/or driveways. The fire access road shall comply with the requirements of the Napa County Road & Street Standards
3. Access roads shall be designed and maintained to support the imposed loads of fire apparatus and shall be surfaced to provide all-weather driving capabilities. Provide an engineered analysis of the proposed roadway noting its ability to support apparatus weighing 75,000 lbs.
4. Provide fire department access roads to within 150 feet of any exterior portion of the buildings as measured by an approved route around the exterior of the building or facility.
5. Driveways shall be a minimum of 10 feet in width with a 4-foot shoulder and 15-foot vertical clearance.
6. Turnouts shall be a minimum of 12 feet in width, 30 feet in length, and 25-foot taper on each end.
7. Turnarounds are required on driveways and dead-end roadways.



A Tradition of Stewardship  
A Commitment to Service

**Napa County Fire Department  
Fire Marshal's Office**

951 California Blvd  
Napa, CA 94559  
[www.countyofnapa.org](http://www.countyofnapa.org)  
Main: (707) 299-1464

**Jason W. Downs**  
Fire Marshal

## **Napa County Fire Department Conditions of Approval**

8. Grades for all roadways and driveways shall not exceed 16 percent. The roadway grade may exceed 16 percent, not to exceed 20 percent, provided the provisions outlined in the NCRSS are met.
9. Roadway radius shall not have an inside radius of less than 50 feet. An additional surface width of 4 feet shall be added to curves of 50-100 feet radius and 2 feet to curves of 100-200 feet radius.
10. Gates for driveways and/or roadways shall comply with the California Fire Code, section 503.5 and the Napa County Road & Street Standards, and CA Fire Safe Regulations for projects within SRA.
11. An automatic fire sprinkler system shall be installed by provisions outlined in the California Fire Code as amended by the County of Napa and the applicable National Fire Protection Association Standard. Automatic fire sprinkler systems shall be designed by a fire protection engineer or C-16 licensed contractor.
12. All buildings shall comply with California Fire Code, Chapter 10 Means of Egress requirements. Including but not limited to; exit signs, exit doors, exit hardware, and exit illumination.
13. Provide and maintain a 100-foot defensible space around all structures in accordance with the Napa County Defensible Space Guidelines.
14. Provide and maintain a 10-foot defensible space on both sides of all roadways leading to the facility, in accordance with the Napa County Defensible Space Guidelines.

Please note the conditions of approval noted above are based on the Fire Marshal review only. There may be additional comments or information requested from other County Departments or Divisions reviewing this application submittal package. Napa County Fire Marshal's Office Development Guidelines can be found @ [www.countyofnapa.org/firemarshal](http://www.countyofnapa.org/firemarshal). Should you have any further questions please contact me at (707) 299-1467 or email me at [jason.downs@countyofnapa.org](mailto:jason.downs@countyofnapa.org)